

LTTng-tools - Bug #618

lttng add-context does not work as advertised

08/13/2013 04:34 PM - Daniel U. Thibault

Status:	Resolved	Start date:	08/13/2013
Priority:	Normal	Due date:	
Assignee:		% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	2.3		

Description

As soon as named channels have been created, you can no longer add context to all channels:

```
$ lttng add-context --help
usage: lttng add-context -t TYPE [-k|-u] [OPTIONS]
```

If no channel is given (-c), the context is added to all channels.

Otherwise the context is added only to the channel (-c).

```
[...]
$ lttng create toy
Session toy created.
Traces will be written in /home/daniel/lttng-traces/toy-20130813-162958
$ lttng enable-channel -k ch2
Kernel channel ch2 enabled for session toy
$ lttng enable-channel -k ch1
Kernel channel ch1 enabled for session toy
$ lttng add-context -k -t prio
Error: prio: Non-default channel exists within session: channel name needs to be specified with '-c name'
Warning: Some command(s) went wrong
```

Associated revisions

Revision 31ea4846 - 08/16/2013 09:10 PM - Mathieu Desnoyers

Fix: add-context without -c apply to all channels

Fixes #618

Signed-off-by: Mathieu Desnoyers <mathieu.desnoyers@efficios.com>

History

#1 - 08/14/2013 05:10 PM - David Goulet

- Status changed from New to Confirmed

#2 - 08/14/2013 05:10 PM - David Goulet

- Project changed from LTTng to LTTng-tools

#3 - 08/16/2013 05:15 PM - Mathieu Desnoyers

- Status changed from Confirmed to Resolved

- % Done changed from 0 to 100

Applied in changeset [31ea48462f529be003231ca0e14c5b882cd7d66e](https://git.lttng.org/commit/31ea48462f529be003231ca0e14c5b882cd7d66e).